


- 78-Spring
- 80-Tread
- 84-Thermo-insulated hatch
- 85-Ladder bracket
- 86-Hinge
- 88-Side bracket
- 90-LXH handrail
- 93-LXS stile end
- 94-Stringer (ladder side element)

E	S	Z	G
Tread length	Tread width	Tread thickness	Distance between treads
[cm]	[cm]	[cm]	[cm]
34	8	2	25

Loft ladder dimensions									
H	A	B	K	R	C	P	T	WxL	MxN
Room height	Width ceiling opening dimensions	Length ceiling opening dimensions	Folded ladder height	Swing space	Distance after ladder unfolding	Board movement after opening	Box height	Box external dimensions	Internal box dimensions
[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]	[cm]
280	60	120	33	160	127	6,1	22	58x118,4	54x114
	70	120		160	127			68x118,4	64x114
	70	130		160	127			68x128,4	64x124
	70	140		160	127			68x138,4	64x134
305	60	130	33	175	135	6,1	22	58x128,4	54x124
	70	130		175	135			68x128,4	64x124
	70	140		175	135			68x138,4	64x134

FAKRO



Warning! The present drawing is for informational-demonstrative purposes only and as such cannot constitute a basis for performance. All dimensions presented in this drawing should be verified on site. Because of the fact that the drawing is a schematic one, FAKRO shall not assume any responsibility for the actual installation quality. This drawing is FAKRO's property and cannot be published or used publicly without our written consent.

Technical drawing:
LWT super-insulated loft ladder

FORMAT:
A4

SCALE:
1:20/1:10

DATE:
10.2013